

# GEAR

2.5 - 3.5 TON


DIESEL FORKLIFT



START IT - GEAR IT -  
LIFT IT

[WWW.GEAR-INT.COM](http://WWW.GEAR-INT.COM)

# GEAR



GEAR INTERNATIONAL  
018 469 1253  
[INFO@GEAR-INT.COM](mailto:INFO@GEAR-INT.COM)  
[WWW.GEAR-INT.COM](http://WWW.GEAR-INT.COM)


POWER SOURCE	KEY FEATURES	KEY BENEFITS	APPLICATIONS	OPTIONS
<ul style="list-style-type: none"><li>Xinchai 498</li></ul>	<ul style="list-style-type: none"><li>500mm Load Centre</li><li>1220mm Forks</li><li>Cascade Side Shift</li><li>4.5m 3 Stage Mast</li><li>Sollid Tyres</li><li>Road Lights (SA-Ordinance-Approved)</li></ul>	<ul style="list-style-type: none"><li>Rated Euro Stage 2 Super-</li><li>Stability(When stationary and cornering)</li><li>Robust</li><li>Low Maintenance</li><li>Economical</li><li>2 Year /2000 hours warranty</li><li>Load Test Certificate</li></ul>	<ul style="list-style-type: none"><li>Built for the outdoors and uneven terrains</li><li>Ideal for loading and offloading containers when fitted with a FFL-Mast</li></ul>	<ul style="list-style-type: none"><li>HC-4JR3</li><li>Mast duplex (3.0-4.0m)</li><li>Mast Triplex (4.5-6.0m)</li><li>Dual Drive wheels</li><li>Forks(other dimension)</li><li>Enclosed Cab with heat and air conditioning)</li><li>Fire Extinguisher</li><li>Exhaust purifier</li><li>Carriage</li><li>Backrest</li><li>Pneumatic Tyres</li></ul>

START IT - **GEAR** IT- LIFT IT

# GEAR

## DIESEL FORKLIFT – 2.5T-3.5T

M-CPCD25FR/M-CPCD25FR



GENERAL	Model		M-CPCD25FR	M-CPCD35FR
	Power Type		Diesel	Diesel
	Rated Capacity		2500kg	3500kg
	Load Centre		500mm	500mm
FITTED STANDARD	Mast	Type	3.0m 2Stage	
		Rated Lift Height	3000mm	
		Free Lift Height	150mm	
	Fork Shift	Attached	S/Shift	
	Tyres	Front	7.00x12	
		Rear	6.00x9	
ENGINE	Power	Kw	42	
	Manufacturer		Xinchai	
	Rated Output		34.5/2500	
	Rated Tourque		156/1800	
	Number of cylinders		4	
	Bore X Stroke	Mpa	86x102	
	Displacement		2369	
Fuel Capacity	Litre	60		
Overall Dimensions	Lenght	mm	2530	2605
	Width	mm	1750	
	Mast Lowered Height	mm	1985	
	Overhead Guard Height	mm	2200	
	Turning Radius	mm	2350	2720
	Wheelbase	mm	1750	
	Ground Clearance	mm	135	

START IT - **GEAR** IT- LIFT IT

A blurred background image of a construction site. In the center, a yellow excavator is visible, with its arm and bucket partially obscured by the large white text. The background shows a mix of earthy tones and structural elements, all out of focus.

# GEAR

[WWW.GEAR-INT.COM](http://WWW.GEAR-INT.COM)