

GEAR

2.5 - 3.5 TON


ROUGH TERRAIN



START IT - GEAR IT -
LIFT IT

WWW.GEAR-INT.COM

GEAR



GEAR INTERNATIONAL
 018 469 1253
INFO@GEAR-INT.COM
WWW.GEAR-INT.COM


POWER SOURCE	KEY FEATURES	KEY BENEFITS	APPLICATIONS	OPTIONS
<ul style="list-style-type: none"> Xinchai 498 	<ul style="list-style-type: none"> 500mm Load Centre 1220mm Forks Cascade Side Shift 4.5m 3 Stage Mast Pneumatic Tyres Road Lights (SA-Ordinance-Approved) 	<ul style="list-style-type: none"> Rated Euro Stage 2 Super- Stability(When stationary and cornering) Robust Low Maintenance Economical 2 Year /2000 hours warranty Load Test Certificate 	<ul style="list-style-type: none"> Built for the outdoors and uneven terrains Ideal for loading and offloading containers when fitted with a FFL-Mast 	<ul style="list-style-type: none"> HC-4JR3 Mast duplex (3.0-4.0m) Mast Triplex (4.5-6.0m) Dual Drive wheels Forks(other dimension) Enclosed Cab with heat and air conditioning) Fire Extinguisher Exhaust purifier Carriage Backrest

START IT - **GEAR** IT- LIFT IT

GEAR

ROUGH TERRAIN – 2.5T-3.5T

M-CPCD25FR/M-CPCD35FR



GENERAL	Model		M-CPCD25FR	M-CPCD35FR	
	Power Type		Diesel	Diesel	
	Rated Capacity		2500kg	3500kg	
	Load Centre		500mm	500mm	
FITTED STANDARD	Mast	Type	4.5m 3Stage		
		Rated Lift Height	4500mm		
		Free Lift Height	1550mm		
	Fork Shift	Attached	S/Shift		
	Tyres	Front	12-16.5-12PR	14-17.5-14PR	
		Rear	27-10-12-16PR		
ENGINE	Power	Kw	42		
	Manufacturer		Xinchai		
	Rated Output		34.5/2500		
	Rated Torque		156/1800		
	Number of cylinders		4		
	Bore X Stroke	Mpa	86x102		
	Displacement		2369		
Fuel Capacity	Litre	60			
Overall Dimensions	Lenght	mm	2530	2605	
	Width	mm	1750		
	Mast Lowered Height	mm	1985		
	Overhead Guard Height	mm	2200		
	Turning Radius	mm	2350	2720	
	Wheelbase	mm	1750		
	Ground Clearance	mm	135		

START IT - **GEAR** IT- LIFT IT

The background is a blurred photograph of a construction site. In the center, a yellow excavator is visible, with a worker in a dark jacket standing near its controls. The scene is out of focus, emphasizing the text overlaid on it.

GEAR

WWW.GEAR-INT.COM